## For Residential Applications

| Job Name     | Contractor            |
|--------------|-----------------------|
| Job Location | Approval              |
| Engineer     | Contractor's P.O. No. |
| Approval     | Representative        |

# **Model PWSYS-UV-3STG**

# **PURE WATER**

# **Ultraviolet 3-Stage Systems**

The PWSYS-UV-3STG from Watts produces high-quality, fresh water on demand, utilizing the power of ultraviolet light. Ultraviolet light has been used for years by the bottled water industry as a means to destroy various organisms in water. Now you can have the power of ultraviolet light under your kitchen sink, in your RV or on your boat.

#### **Features**

- Three stages of filtration
- 5-Micron Sediment Filter: Reduces dirt, sand, and rust
- 1-Micron Carbon Block: Reduces Lead, Cysts (Cysts include: Cryptosporidium, Toxoplasma, Giardia, and Entamoeba)
- Ultraviolet light
- Adapt-A-Valve™
- Easy-to-Install

#### **Benefits**

- Reduces lead, chlorine, bad tastes, and odors
- Ideal for RV's and boats
- Includes dedicated faucet or can be connected to cold water line

### System Specifications

Operating Temperatures: Minimum 40°F (4.4°C),

Maximum 100°F (37.8°C)

Operating Pressure: Minimum 20psi (1.40 kg/cm2),

Maximum 100psi (7.03 kg/cm2)

Ph Parameters: Minimum 5, Maximum 10

Flow Rate: 0.5 gpm @ 60 psig

Unit Dimensions: Approx. 14" W x 16" H x 5.5" D



PWSYS-UV-3STG

### Replacement Filter Packs

| MODEL                    | FREQUENCY | DESCRIPTION                  |
|--------------------------|-----------|------------------------------|
| PWFIL-SED-STD-10-5M-DEP  | 6 Months  | 5-micron sediment filter     |
| PWFIL-SED-STD-10-1M-LEAD | 6 Months  | 1-micron carbon block filter |
| PWFIL-3PACK-STD-UV       | Annual    | Includes all filters and     |
|                          |           | UV Replacement Lamp          |

Note: Water conditions may require more frequent cartridge replacement

**Note:** Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. Systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.

Watts product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Watts Technical Service. Watts reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on Watts products previously or subsequently sold.





USA: North Andover, MA • Tel. (800) 224-1299 • www.watts.com
Canada: Burlington, ON • Tel. (888) 208-8927 • www.wattscanada.ca

A Watts Water Technologies Company